



MILAN ANALYTICA AG
YOUR BIOTECHNOLOGY PARTNER



Milan Analytica AG
Baslerstrasse 15
4310 Rheinfelden
Switzerland

www.milananalytica.ch
info@milananalytica.ch

Fuller Labs product list 2018

Product Description	Species/Source
<i>Anaplasma</i>	Human
<i>Anaplasma</i> positive control	
<i>Anaplasma / Ehrlichia</i>	Human
<i>Anaplasma / Ehrlichia</i> positive control	
<i>Anaplasma phagocytophila</i>	Human / Canine / Equine
<i>Anaplasma phagocytophila</i> positive control	
<i>Anaplasma phagocytophila</i> , canine	Canine
<i>Anaplasma phagocytophila</i> , canine positive control	
<i>Anaplasma phagocytophila</i> , equine	Equine
<i>Anaplasma phagocytophila</i> , equine positive control	
<i>Bartonella</i>	
<i>Bartonella</i> positive control	
<i>Borrelia burgdorferi</i>	Human / Canine / Equine
<i>Borrelia burgdorferi</i> positive control	
<i>Brucella</i>	Canine
<i>Brucella</i> positive control	
<i>Babesia equi</i>	Equine
<i>Babesia equi</i> positive control	
<i>Babesia bigemina</i>	Bovine
<i>Babesia bigemina</i> positive control	
<i>Babesia caballi</i>	Equine
<i>Babesia caballi</i> positive control	
<i>Babesia microti</i>	Human
<i>Babesia microti</i> positive control	
<i>Babesia bovis</i>	Bovine
<i>Babesia bovis</i> positive control	
<i>Babesia canis</i>	Canine
<i>Babesia canis</i> positive control	
<i>Babesia gibsoni</i>	Canine
<i>Babesia gibsoni</i> positive control	
<i>Coxiella burnetii</i> (Q-Fever)	
<i>Coxiella burnetii</i> positive control	
<i>Coxiella burnetii</i> (Q-Fever)	Human / Ovine / Caprine

<i>Coxiella burnetii</i> positive control	
<i>Coxiella burnetii</i> , canine (Q Fever)	Human/Canine
<i>Coxiella burnetii</i> , canine (Q Fever) positive control	
<i>Coxiella burnetii</i> , human (Q-Fever, phases 1-2)	Human
<i>Coxiella burnetii</i> , human (Q-Fever, phases 1-2) positive	
Chlamydiosis, feline	Feline
Chlamydiosis, feline positive control	
<i>Chlamydophila psittaci</i>	Human/Feline
<i>Chlamydophila psittaci</i> positive control	
Calicivirus, feline	Feline
Calicivirus, feline positive control	
Calicivirus, feline	Feline
Calicivirus, feline opositive control	
Coronavirus, feline	
Coronavirus, feline positive control	
Distemper, canine	Canine
Distemper, canine positive control	
EBV EA, Epstein-Barr virus Early Antigen	Human
EBV EA, Epstein-Barr Virus Early Antigen postitive	
EBV VCA, Epstein-Barr virus viral capsid antigen	Human
EBV VCA, Epstein-Barr virus viral capsid antigen	
<i>Ehrlichia chaffeensis</i>	Cainine / Human
<i>Ehrlichia chaffeensis</i> positive control	
<i>Ehrlichia, granulocytic</i>	Feline
<i>Ehrlichia, granulocytic</i> , positive control	
<i>Ehrlichia risticii</i>	Canine/Equine
<i>Ehrlichia risticii</i> positive control	
<i>Ehrlichia risticii</i> , canine	Canine
<i>Ehrlichia risticii</i> , canine positive control	
Feline infectious peritonitis	Feline
Feline infectious peritonitis positive control	
<i>Francisella tularensis</i>	
<i>Francisella tularensis</i> positive control	
<i>Francisella/Brucella</i>	Human
<i>Francisella/Brucella</i> positive control	
<i>Francisella tularensis</i>	Human
<i>Francisella tularensis</i> positive control	
<i>Granulocytic Ehrlichia</i> , canine	Canine
<i>Granulocytic Ehrlichia</i> , canine positive control	
Hemorrhagic gastroenteritis (HGE)	Human
Hemorrhagic gastroenteritis (HGE) positive control	
Herpesvirus-6	Human
Herpesvirus-6 positive control	
Herpesvirus, feline	Feline
Herpesvirus, feline positive control	
IgM Sample Diluent	Human
<i>Leptospira</i>	Human/Canine
<i>Leptospira</i> positive control	
<i>Leishmania</i> (promastigote)	Canine

<i>Leishmania</i> (promastigote) positive control	
Leishmaniasis	Canine
Leishmaniasis positive control	
<i>Neospora caninum</i>	Canine
<i>Neospora caninum</i> positive control	
<i>Neorickettsia risticii</i> , equine	Equine
<i>Neorickettsia risticii</i> , equine positive control	
<i>Neospora</i>	Equine
<i>Neospora</i> positive control	
<i>Orientia tsutsugamushi</i> (scrub typhus)	
<i>Orientia tsutsugamushi</i> (scrub typhus) positive control	
Parvovirus, feline (feline panleukopenia, feline	Feline
Parvovirus, feline (feline panleukopenia, feline	
Parvovirus, canine	Canine
Parvovirus, canine positive control	
Piroplasmosis, bovine	
Piroplasmosis, bovine positive control	
Piroplasmosis, equine	
Piroplasmosis equine positive control	
<i>Rickettsia africae</i>	
<i>Rickettsia akari</i>	
<i>Rickettsia amblyommii</i>	
<i>Rickettsia asiatica</i>	
<i>Rickettsia australis</i>	
<i>Rickettsia canadensis</i>	
<i>Rickettsia conorii</i> (4 subspecies)	
<i>Rickettsia</i> positive control	
<i>Rickettsia felis</i>	
<i>Rickettsia heilongjiangensis</i>	
<i>Rickettsia helvetica</i>	
<i>Rickettsia honei</i>	
<i>Rickettsia japonica</i>	
<i>Rickettsia massiliae</i>	
<i>Rickettsia monacensis</i>	
<i>Rickettsia montanensis</i>	
<i>Rickettsia parkeri</i>	
<i>Rickettsia prowazeki</i>	Human
<i>Rickettsia prowazeki</i> positive control	
<i>Rickettsia raoultii</i>	
<i>Rickettsia rhipicephali</i>	
<i>Rickettsia rickettsii</i>	Human / Canine
<i>Rickettsia rickettsii</i> positive control	
<i>Rickettsia siberica</i>	
<i>Rickettsia slovacca</i>	
<i>Rickettsia</i> (Spotted Fever)	Canine
<i>Rickettsia</i> (Spotted Fever) positive control	
<i>Rickettsia tamurae</i>	
<i>Rickettsia typhi</i>	Human
<i>Rickettsia typhi</i> positive control	

<i>Rickettsia</i> (Typhus Group)	Human
<i>Rickettsia</i> (Typhus Group) positive control	
<i>Toxoplasma gondii</i>	Feline
<i>Toxoplasma gondii</i> positive control	
Toxoplasmosis	Feline
Toxoplasmosis positive control	

Conjugated secondary antibodies for

Anti-bovine IgG (Fc-specific)	Goat
Anti-canine IgG (Fc-specific)	Rabbit
Anti-canine IgG (H+L specific)	Rabbit
Anti-canine IgM (Fc-specific)	Goat
Anti-equine IgG (Fc-specific)	Rabbit
Anti-equine IgG (H+L specific)	Rabbit
Anti-feline IgG (Fc-specific)	Goat
Anti-feline IgG (H+L specific)	Goat
Anti-feline IgM (Fc-specific)	Goat
Anti-human IgG (Fc-specific)	Goat
Anti-human IgA (Fc-specific)	Goat
Anti-human IgM (Fc-specific)	Goat
Anti-caprine IgG (Fc-specific)	Rabbit
Anti-ovine igG (Fc-specific)	Rabbit
Anti-murine IgG (Fc-specific)	Goat